ELSEVIER

Volume 273, Numbers 1–2, February 1996

thin solid films

Contents

Preface ix

Control of electron transfer in nanostructures assembled by the Langmuir–Blodgett technique 1
E.G. Wilson (London, UK)

Photophysical, photoelectrical and non-linear optical properties of porphyrin–phthalocyanine assemblies in Langmuir–Blodgett films 8
T.-H. Tran-Thi, T. Fournier (Gif-sur-Yvette, France), A. Yu Sharonov, N. Tkachenko, H. Lemmetyinen (Tampere, Finland), P. Grenier, K.-D. Truong, D. Houde (Sherbrooke, Qué., Canada)

Porphyrin arrays connected with molecular wire 14
T. Shimidzu, H. Segawa (Kyoto, Japan)

Electronic structures of organic–inorganic interfaces studied by UV photoemission 20
K. Seki (Nagoya, Japan), T. Tani (Kanagawa, Japan), H. Ishii (Nagoya, Japan)

Charge transport in the glassy state of arylaldehyde and arylketone hydrazones 27
S. Nomura, K. Nishimura, Y. Shirota (Osaka, Japan)

Valence and conduction band edges of metal-phthalocyanines and carrier behavior 35
A.J. Ikushima (Aichi, Japan), T. Kanno, S. Yoshida, A. Maeda (Tokyo, Japan)

Recent progress in polymers for electroluminescence: microcavity devices and electron transport polymers 39
M.S. Weaver, D.G. Lidzey, T.A. Fisher, M.A. Pate, D. O'Brien, A. Bleyer, A. Tajbakhsh, D.D.C. Bradley, M.S. Skolnick, G. Hill (Sheffield, UK)

Wetting studies of molecularly engineered surfaces 48
A. Ulman (Brooklyn, NY, USA)

Structure and stability of self-assembled monolayers 54
E. Delamarche, B. Michel (Rüschlikon, Switzerland)

Guest selective adsorption from the gas phase onto a functional self-assembled monolayer immobilized on a super-sensitive quartz-crystal microbalance 61
K. Matsuura, Y. Ebara, Y. Okahata (Yokohama, Japan)

Ordered nucleation of a self-assembled monolayer on Au(111) studied by scanning tunneling microscopy 66
M. Hara, H. Sasabe, W. Knoll (Wako, Saitama, Japan)

Scanning tunneling microscopy of dibutylamino-triazine-dithiol monolayer on Au(111) 70
W. Mizutani, M. Motomatsu, H. Tokumoto (Ibaraki, Japan)

In-situ studies of flow-induced phenomena in Langmuir monolayers 76
T. Maruyama, M. Friedenberg, G.G. Fuller, C.W. Frank, C.R. Robertson (Stanford, CA, USA), A. Ferencz, G. Wegner (Mainz, Germany)

Direct observation of defect-diminished fatty acid monolayers and their optical applications 84
T. Kajiyama (Fukuoka, Japan), Y. Oishi (Saga, Japan), T. Kuri (Fukuoka, Japan)

Structural investigation of gas sensing Langmuir–Blodgett films of phthalocyanine ($(C_6H_{13})_3SiOSiPcOGePcOH$) 90
H.-Y. Wang, C.W. Chiang, J.B. Lando (Cleveland, OH, USA)

Functional organic ultra-thin films for device applications 97
J. Seto, N. Asai, I. Fujiwara, T. Ishibashi, T. Kamei, S. Tamura (Yokohama, Japan)

Microwear 105
R. Kaneko, T. Miyamoto, Y. Andoh (Tokyo, Japan), E. Hamada (Gunma, Japan)

Elsevier Science S.A.

Scanning probe microscopy of organics, an update 112
J.E. Frommer (San Jose, CA, USA)

UFM observation of lattice defects in highly oriented pyrolytic graphite 116
K. Yamanaka (Ibaraki, Japan)

Scanning near-field optical microscope with a laser diode and nanometer-sized bit recording 122
S. Hosaka, T. Shintani, M. Miyamoto, A. Hirotsune, M. Terao, M. Yoshida, S. Honma (Tokyo, Japan), S. Kämmer (Santa Clara, CA, USA)

Nanoscopic analysis of the conduction mechanism in organic positive temperature coefficient composite materials 128
K. Matsushige, K. Kobayashi, N. Iwami, T. Horiuchi (Kyoto, Japan), E. Shitamori, M. Itoi (Chiba, Japan)

Fullerenes and other carbon forms: studies by STM and cognate techniques 132
C.N.R. Rao, H.N. Aiyer, R. Seshadri, A. Govindaraj (Bangalore, India)

Contact and non-contact mode imaging by atomic force microscopy 138
S. Morita, S. Fujisawa, E. Kishi, M. Ohta, H. Ueyama, Y. Sugawara (Higashi-Hiroshima, Japan)

Local elasticity measurement on polymers using atomic force microscopy 143
H.-Y. Nie, M. Motomatsu, W. Mizutani, H. Tokumoto (Ibaraki, Japan)

Instrumental developments and recent experiments in near-field optical microscopy 149
H. Heinzelmann, Th. Lacoste, Th. Huser, H.J. Güntherodt (Basel, Switzerland), B. Hecht, D.W. Pohl (Rüschlikon, Switzerland)

Design and application of scanning near-field optical/atomic force microscopy 154
T. Ataka, H. Muramatsu, K. Nakajima, N. Chiba, K. Homma (Chiba, Japan), M. Fujihara (Yokohama, Japan)

Radiation coupling and image formation in scanning near-field optical microscopy 161
D.W. Pohl (Rüschlikon, Switzerland), L. Novotny (Zürich, Switzerland), B. Hecht (Rüschlikon, Switzerland), H. Heinzelmann (Basel, Switzerland)

Scanning probe microscopies for molecular photodiodes 168
M. Fujihira, M. Sakomura, D. Aoki, A. Koike (Yokohama, Japan)

Photoelectrical conversion of p–n heterojunction devices using thin films of titanyl phthalocyanine and a perylene pigment 177
T. Tsuzuki, N. Hirota, N. Noma, Y. Shirota (Osaka, Japan)

Photoelectric conversion by an A–S–D triad monolayer covered with a protective monolayer 181
M. Sakomura, M. Fujihira (Yokohama, Japan)

Properties of Langmuir monolayers of newly synthesized sensitizer–donor dyads containing a naphthalene and a ferrocene moiety ... 185
H. Hokari, M. Fujihira (Yokohama, Japan)

Properties and application of organic dye associates in polymer matrices 190
T. Hiraga (Ibaraki, Japan), N. Tanaka, H. Yanagimoto (Tokyo, Japan), K. Hayamizu, T. Moriya (Ibaraki, Japan)

Photomemory effects in electrical and optical properties of photochromic dye in the non-crystalline solid state 195
T. Kawai, T. Koshido, Y. Kaneuchi, K. Yoshino (Osaka, Japan)

Anisotropic optical properties of an organic electroluminescent diode with a periodic multilayer structure 199
A. Fujii, M. Yoshida, Y. Ohmori, K. Yoshino (Osaka, Japan)

Crystallization of organic thin films for electroluminescent devices 202
E.-M. Han, L.-M. Do, N. Yamamoto, M. Fujihira (Yokohama, Japan)

Morphological change in the degradation of Al electrode surfaces of electroluminescent devices by fluorescence microscopy and AFM 209
L.-M. Do, M. Oyamada, A. Koike, E.-M. Han, N. Yamamoto, M. Fujihira (Yokohama, Japan)

New fluorescent polyimides for electroluminescent devices based on 2,5-distyrylpyrazine 214
A. Wu, T. Akagi, M. Jikei, M. Kakimoto, Y. Imai (Tokyo, Japan), S. Ukishima, Y. Takahashi (Tsukuba, Japan)

Aggregation mechanism of triphenyldiamine 218
K. Yase, Y. Yoshida (Ibaraki, Japan), S. Sumimoto (Chiba, Japan), N. Tanigaki, H. Matsuda (Ibaraki, Japan), M. Kato (Chiba, Japan)

Angular-resolved EELS of a carbon nanotube 222
K. Yase, S. Horiuchi, M. Kyotani, M. Yumura, K. Uchida, S. Ohshima, Y. Kuriki, F. Ikazaki (Ibaraki, Japan), N. Yamahira (Tokyo, Japan)

Ultraviolet photoemission spectroscopy studies of conducting polymer polypyrrole: dopant effect on a conjugated polymer system ... 225
S. Takemura, Y. Kitagawa, H. Kato (Yokohama, Japan)

Electron tunnelling rates as a function of intermolecular distance, measured in a Langmuir–Blodgett assembly 229
K.J. Donovan, J.E. Elliott, K. Scott, E.G. Wilson (London, UK), D.A. Batzel, T.R. Clark, M.E. Kenney (Cleveland, OH, USA)

Two-dimensional micronodule structure in monolayers of a partially fluorinated long-chain acid observed by atomic force microscopy 232
T. Kato, M. Kameyama, M. Kawano (Tochigi, Japan)

In-situ optical measurement of adsorption of Langmuir–Blodgett films deposited on optical fibers 236
K. Itadera, K.-I. Kako, M. Iizuka, S. Kuniyoshi, K. Kudo, K. Tanaka (Chiba, Japan)

High conducting Langmuir–Blodgett films comprising head-to-tail poly(3-hexylthiophene) 240
M. Rikukawa, M. Nakagawa, H. Abe, K. Ishida, K. Sanui, N. Ogata (Tokyo, Japan)

Organic monolayer spontaneously formed on spatially arranged nanostructures of silicon oxide and gold 245
H. Sugimura, N. Nakagiri (Tsukuba, Japan)

Formation and characterization of thiol-derivatized zinc(II) porphyrin monolayers on gold 250
K. Shimazu, M. Takechi (Sapporo, Japan), H. Fujii (Yamagata, Japan), M. Suzuki (Sapporo, Japan), H. Saiki (Abiko, Japan), T. Yoshimura (Yamagata, Japan), K. Uosaki (Sapporo, Japan)

Surface structure and orientation of polyamic acid alkylamine salt Langmuir–Blodgett films having an azobenzene pendant unit 254
S. Yokoyama, M. Kakimoto, Y. Imai, T. Yamada, K. Kajikawa, H. Takezoe, A. Fukuda (Tokyo, Japan)

Novel plasma polymerization system using a d.c. glow discharge 258
T. Suwa, M. Jikei, M. Kakimoto, Y. Imai (Tokyo, Japan), A. Tanaka, K. Yoneda (Nagoya, Japan)

Oriented films of insoluble polymers by the friction technique 263
N. Tanigaki, K. Yase, A. Kaito (Ibaraki, Japan)

Etching and restoration of molecular layers in organic metals by means of scanning tunneling microscopy 267
T. Takahashi, T. Mori, K. Ishikawa, H. Takezoe, A. Fukuda (Tokyo, Japan), Y. Misaki, T. Yamabe (Kyoto, Japan)

Molecular motion at domain boundaries in fatty acid monolayers on graphite observed by scanning tunneling microscopy 272
M. Hibino, A. Sumi, I. Hatta (Nagoya, Japan)

Surface potential measurements using the Kelvin probe force microscope 279
M. Yasutake (Shizuoka, Japan), D. Aoki, M. Fujihira (Yokohama, Japan)

Comparison of hydrophobic modifying layers on SiO_2 studied with a force-controlled atomic force microscope 284
S.P. Jarvis, J.B. Pethica (Oxford, UK)

Scanning force microscopy characterization of thin lipid films on a substrate 289
J. Masai, T. Shibata-Seki, K. Sasaki, H. Murayama, K. Sano (Yokohama, Japan)

In-situ atomic force microscopy study of lipid vesicles adsorbed on a substrate 297
T. Shibata-Seki, J. Masai, T. Tagawa, T. Sorin (Yokohama, Japan), S. Kondo (Tokyo, Japan)

Scanning force microscopy application to polymer surfaces for novel nanoscale surface characterization 304
M. Motomatsu, H.-Y. Nie, W. Mizutani, H. Tokumoto (Ibaraki, Japan)

Measuring the thermal properties of photoresist thin films using atomic force microscopy 308
A. Kawai (Niigata, Japan)

AFM microlithography of a thin chromium film covered with a thin resist Langmuir–Blodgett (LB) film 312
H. Takano, M. Fujihira (Yokohama, Japan)

Experimental observation of single-asperity friction at the atomic scale 317
C. Putman, R. Kaneko (Tokyo, Japan)

Analysis of surface forces on oxides in aqueous solutions using AFM 322
T. Arai, D. Aoki, Y. Okabe, M. Fujihira (Yokohama, Japan)

Optical processing by scanning near-field optical/atomic force microscopy 327
K. Nakajima, H. Muramastu, N. Chiba, T. Ataka (Chiba, Japan), M. Fujihira (Yokohama, Japan)

Resolution of an optical image of a scanning near-field optical/atomic force microscope as a function of sample–probe distance during synchronized irradiation 331
N. Chiba, H. Muramatsu, K. Nakajima, K. Homma, T. Ataka (Chiba, Japan), M. Fujihira (Yokohama, Japan)

Scanning near-field optic/atomic force microscopy in liquids 335
H. Muramatsu, N. Chiba, K. Homma, K. Nakajima, T. Ataka (Chiba, Japan), S. Ohta, A. Kusumi (Tokyo, Japan), M. Fujihira (Yokohama, Japan)

Author Index of Volume 273 339
Subject Index of Volume 273 341

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.